1.0

15

## CLAIMS

We claim:

- 1. A method of distributed collaborative computing comprising:
- 5 partitioning a collaboration function into subfunctions;
  - assigning at least one said sub-function to each of a plurality of logical processes;
  - associating a respective management process with each of said plurality of logical processes, said logical processes configured so that each said logical process is capable of communicating with every other said logical process thru said respective management process;
  - communicating between said logical processes using said respective management processes; and monitoring said respective management processes with a single supervisor process;
- wherein said monitoring further comprises re-creating one or more said logical processes in response to detecting a failure of one or more said logical processes.
- 2. The method of Claim 1, said detecting further 25 comprising:
  - monitoring a message stream to determine a responsiveness of said logical process; and if said responsiveness ceases, signaling said failure to said single supervisor process.

10

15

20

3. The method of Claim 1, said re-creating further comprising:

spawning a new logical process;

assigning to said new logical process said at least one sub-function corresponding to said failed logical process;

recovering the state of said failed logical process into said new logical process; and associating a new management process with said new logical process.

4. The method of Claim 1, said re-creating further comprising:

activating a stand-by logical process, said standby process having been instantiated prior to said detecting;

assigning to said stand-by logical process said at least one sub-function corresponding to said failed logical process;

recovering the state of said failed logical process into said new logical process; associating a new management process with said stand-by logical process; and spawning a new stand-by logical process.

25

5. A computer program for use in distributed collaborative computing, comprising computer instructions for:

partitioning a collaboration function into sub-30 functions;

assigning at least one said sub-function to each of a plurality of logical processes; associating a respective management process with each of said plurality of logical processes, said logical processes configured so that each said logical process is capable of communicating with every other said logical process thru said respective management

communicating between said logical processes using said respective management processes; and monitoring said respective management processes with a single supervisor process;

process;

wherein said monitoring further comprises re-creating
one or more said logical processes in response to
detecting a failure of one or more said logical
processes.

- 6. The computer program of Claim 5, said detecting further comprising:
- 20 monitoring a message stream to determine a responsiveness of said logical process; and if said responsiveness ceases, signaling said failure to said single supervisor process.
- 7. The computer program of Claim 5, said re-25 creating further comprising:

spawning a new logical process;
assigning to said new logical process said at
 least one sub-function corresponding to said
 failed logical process;

recovering the state of said failed logical process into said new logical process; and associating a new management process with said new logical process.

- 5 8. The computer program of Claim 5, said recreating further comprising:
  - activating a stand-by logical process, said standby process having been instantiated prior to said detecting;
- assigning to said stand-by logical process said at least one sub-function corresponding to said failed logical process;
  - recovering the state of said failed logical process into said new logical process;
- associating a new management process with said stand-by logical process; and spawning a new stand-by logical process.
- 9. A computer-readable medium storing a computer program executable by a plurality of server computers, the computer program comprising computer instructions for:
- partitioning a collaboration function into sub
  functions;
  - assigning at least one said sub-function to each of a plurality of logical processes;
  - associating a respective management process with each of said plurality of logical processes, said logical processes configured so that

30

each said logical process is capable of communicating with every other said logical process thru said respective management process;

communicating between said logical processes using said respective management processes; and monitoring said respective management processes with a single supervisor process;

wherein said monitoring further comprises re-creating
one or more said logical processes in response to
detecting a failure of one or more said logical
processes.

10. The computer-readable medium of Claim 9, said detecting further comprising:

monitoring a message stream to determine a responsiveness of said logical process; and if said responsiveness ceases, signaling said failure to said single supervisor process.

11. The computer-readable medium of Claim 9, said
20 re-creating further comprising:

spawning a new logical process;

assigning to said new logical process said at least one sub-function corresponding to said failed logical process;

recovering the state of said failed logical process; and associating a new management process with said new logical process.

12.	The	comput	er-readable	medium	of	Claim	9,	said
re-creating	ng fi	urther	comprising:					

activating a stand-by logical process, said standby process having been instantiated prior to said detecting;

assigning to said stand-by logical process said at least one sub-function corresponding to said failed logical process;

recovering the state of said failed logical process into said new logical process; associating a new management process with said stand-by logical process; and spawning a new stand-by logical process.

15

20

25

30

10

5

13. A computer data signal embodied in a carrier wave, comprising computer instructions for:

partitioning a collaboration function into subfunctions;

assigning at least one said sub-function to each of a plurality of logical processes;

associating a respective management process with each of said plurality of logical processes, said logical processes configured so that each said logical process is capable of communicating with every other said logical process thru said respective management process;

communicating between said logical processes using said respective management processes; and

704192 v1

monitoring said respective management processes
with a single supervisor process;
wherein said monitoring further comprises re-creating
one or more said logical processes in response to
detecting a failure of one or more said logical
processes.

14. The computer data signal of Claim 13, said detecting further comprising:

monitoring a message stream to determine a

responsiveness of said logical process; and

if said responsiveness ceases, signaling said

failure to said single supervisor process.

15. The computer data signal of Claim 13, said re-creating further comprising:

spawning a new logical process;

assigning to said new logical process said at least one sub-function corresponding to said failed logical process;

recovering the state of said failed logical process into said new logical process; and associating a new management process with said new logical process.

- 16. The computer data signal of Claim 13, said re-creating further comprising:
- 25 activating a stand-by logical process, said standby process having been instantiated prior to said detecting;

assigning to said stand-by logical process said at least one sub-function corresponding to said failed logical process;

recovering the state of said failed logical process into said new logical process; associating a new management process with said stand-by logical process; and spawning a new stand-by logical process.